



ALL PAPER BLISTER PACKAGING MACHINES

the **STARVIEW ADVANTAGE**



FAB4-1012 APB
SHOWN WITH OPTIONAL CASTER

FAB8-1218.5 APB-AA
NEW SIZE
that utilizes your existing AA tooling



CONSUMER GOODS



FOOD



MEDICAL DEVICE



PHARMACEUTICAL



NUTRACEUTICAL



AFTERMARKET PARTS

Markets we serve everyday

INNOVATIVE PACKAGING MACHINES
www.starviewpackaging.com

ALL PAPER BLISTER SEALING MACHINES

FULLY AUTOMATIC ROTARY, CAROUSSEL AND INLINE

YOUR MARKET ... OUR SOLUTIONS

Starview's **All Paper Blister Packaging Machines** are available with the largest selection of standard sizes, makes and models in the industry. Fully automatic machines that includes our rotaries, carousels and in-line all paper blister packaging. Standard sizes and model comparisons can be seen on next page.

Starview continues to update, and innovate to bring flexible, easy to operate, high value to investment machine options to the blister packaging market for over 30 years. Contact us to see how we can help you take advantage of our experience. These APB are for all your blister packaging styles and materials. **Fully Automated** paper blister sealing machine are built with the capability to feed and form paper blisters, or feed plastic blisters, feed blister cards, seal, and discharge finished packages with required quick-change tooling. These machines may also be used for conventional carded blisters, trapped blisters, club store trapped packages, full face blisters and half-clamshell styles as well as some applications using foils, and other heat sealable lidstock materials.

[Visit our APB website page .](#)

the **STARVIEW** **ADVANTAGE**

- A wide range of standard and custom automation features available to match customer requirements.
- ANSI Class 4 machine safety for operator protection.
- Automatic blister feeder, card feeder & finished package unloader provide reduced labor costs.
- Color touch screen HMI for the ultimate in operator convenience and accessibility. Includes storage for 99 data bases and on-screen data tracking.
- A Starview exclusive remote access via standard Ethernet hardwire or optional Wi-Fi router gives management access to real-time process information from the machine.
- AC Variable frequency precision cam index rotary table drive for smooth table operation and position repeatability.
- Quick-change mounting for relieved face plates.
- Uses quick-change cost-effective multi-ply hardwood or durable aluminum tooling.
- Industry leading design, construction, features and customer support.



more on next page

BLISTER & APB PACKAGING MACHINES

MODELS COMPARAISON

Click on miniature for more information about that series of Packaging Machines



FAB6 / FAB8



FAB4/6-APB



NEW!

FAB8-1218.5-AA-APB



FAB8/FAB8-3-APB

Type of blister machine:	Fully automatic rotary	Fully automatic rotary	Fully automatic rotary	Fully automatic rotary
Size type of production:	High volume or JIT	High volume or JIT	High volume or JIT	High volume or JIT
Sealing fixture size	14" x 18" / 18" x 24"	10" x 12" / 14" x 18"	14" x 18"	14" x 18" / 18" x 24"
Nominal sealing area:	14" x 18" / 18" x 24"	9" x 11" / 13" x 17"	12 x 18.5"	13" x 17" / 17" x 23"
Maximum blister depth:	3.5"	1.25" / 3.5"	3"	3.5"
Number of sealing fixtures:	6 or 8	1 or 2	4	4, 6 or 8
Open loading stations:	2, 3 or 4	3 or 4	3 or 4	3 or 4
Regular Blister or generation APB feeder:	Standard	Gen 1 (FAB4) 1 & 2 FAB6	Gen 1 & 2	Gen 1 & 2
Card feeder(s):	Standard	(1) Standard	(2) Standard	(1 / 2) Standard
Finished package unloader:		Standard	Standard	Standard



BSC



BSC-APB



CBS



CBS-APB

Type of blister machine:	Fully automatic carousel	Fully automatic carousel	Fully automatic inline	Fully automatic inline
Size type of production:	High volume	High volume	High volume	High volume
Sealing fixture size	14" x 18" / 18" x 24"	14" x 18" / 18" x 24"	14" x 28"	14" x 28"
Nominal sealing area:	14" x 18" / 18" x 24"	14" x 18" / 18" x 24"	3.25"	3.25"
Maximum blister depth:	3.25"	3.25"	Fully automatic	Fully automatic
Number of sealing fixtures:	16	16	30	30
Open loading stations:	9	9	7	4
Regular Blister or generation APB feeders:	Standard	Gen 1 & 2	Standard	Gen 1 & 2
Card feeder(s):	Standard	Standard	Standard	Standard
Finished package unloader:	Standard	Standard	Standard	Standard



FAB4, FAB6 & FAB8 APB SERIES FULLY AUTOMATIC ROTARY PAPER BLISTER SEALING MACHINES



FAB4-1012 APB
SHOWN WITH OPTIONAL CASTER

FAB8-1418-APB
WITH STAND ALONE FEEDER
AND UNLOAD CONVEYOR

FAB8-1218.5 APB-AA
NEW SIZE
that utilizes your existing AA tooling

EXPERIENCE
the **STARVIEW**
ADVANTAGE
INNOVATIVE PACKAGING MACHINES

Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com

sales@starviewpackaging.com

FAB4, FAB6 & FAB8 APB SERIES

FULLY AUTOMATIC ROTARY *PAPER BLISTER* SEALING MACHINES

YOUR MARKET ... OUR SOLUTIONS

Starview's **FAB Series** fully automatic rotary type blister sealing machine is for all your blister packaging styles and materials. The **FAB APB AA** automated rotary blister sealing machine is built with the capability to feed and form paper blisters, or feed plastic blisters, feed blister cards, seal, and discharge finished packages with required quick-change tooling. These machines may be used for conventional carded blisters, trapped blisters, club store trapped packages, full face blisters and half-clamshell styles as well as some applications using foils, and other heat sealable lidstock materials

For other machines capable of higher finished package volumes or with additional open stations for automation please consider Starview's **BSC APB Series Carousel** or **CBS APB Series Inline machines**.

[Visit our APB website page](#) .

the **STARVIEW** **ADVANTAGE**

- A wide range of standard and custom automation features available to match customer requirements.
- ANSI Class 4 machine safety for operator protection.
- Automatic blister feeder, card feeder & finished package unloader provide reduced labor costs.
- Color touch screen HMI for the ultimate in operator convenience and accessibility. Includes storage for 99 data bases and on-screen data tracking.
- A Starview exclusive remote access via standard Ethernet hardwire or optional Wi-Fi router gives management access to real-time process information from the machine.
- AC Variable frequency precision cam index rotary table drive for smooth table operation and position repeatability.
- Quick-change mounting for relieved face plates.
- Uses quick-change cost-effective multi-ply hardwood or durable aluminum tooling.
- Industry leading design, construction, features and customer support.



more on next page

FAB8-1218.5 APB-AA SERIES

FULLY AUTOMATIC ROTARY *PAPER BLISTER* SEALING MACHINE

YOUR MARKET ... OUR SOLUTIONS

We heard you have invested in many sets of existing AA heat seal tooling and yet want a better sealing machine solution. Starview's FAB8 Series the workhorse automatic blister machine of the industry announces our newest model the **FAB8-1218.5 APB-AA** that utilizes your existing AA tooling from your existing AA 8 station machine.

Starview's FAB8-1218.5 APB-AA fully automatic rotary type blister sealing machine is for all your blister packaging styles and materials. The FAB APB AA automated rotary blister sealing machine is built with the capability to feed and form paper blisters, or feed plastic blisters, feed blister cards, seal, and discharge finished packages with required quick-change tooling. This machine may be used for conventional carded blisters, trapped blisters, club store trapped packages, full face blisters and half-clamshell styles as well as some applications using foils and other heat sealable lidstock materials.

For complete **FAB-APB series** models or other machines capable of higher finished package volumes or with additional open stations for automation please consider Starview's **BSC -APB Series Carousel** or **CBS-APB Series Inline machines**.

[Visit our APB website page .](#)

the **STARVIEW** **ADVANTAGE**

- A wide range of standard and custom automation features available to match customer requirements.
- ANSI Class 4 machine safety for operator protection.
- Automatic blister feeder, card feeder & finished package unloader — reduced labor costs.
- Color touch screen HMI for the ultimate in operator convenience and accessibility — includes storage for 99 databases and on-screen data tracking.
- Remote access (Starview exclusive) via standard Ethernet hardwire or optional Wi-Fi router — management access to real-time process information from the machine.
- AC Variable frequency precision cam index rotary table drive for smooth table operation and position repeatability.
- Quick-change cost-effective multi-ply hardwood or durable aluminum tooling.
- Industry leading design, construction, features and customer support.



Markets we serve everyday

more on next page

FAB4, FAB6 & FAB8 APB SERIES

SPECIFICATIONS

FAB4-1012 APB

Sealing fixture size	10" x 12"
Nominal sealing area:	9" x 11"
Open loading stations:	1
Paper Blister feeder Gen 1:	yes
Paper Blister feeder Gen 2:	n/a
Card feeder(s):	(1) Standard
Finished package unloader:	Standard
Maximum blister depth:	1.25"
Average cycle speed:	1-15 cpm
Electrical:	208-230 Volts / 1 PH / 25 Amps

FAB4-1216 APB

Sealing fixture size	11" x 16"
Nominal sealing area:	11" x 15"
Open loading stations:	1
Paper Blister feeder Gen 1:	yes
Paper Blister feeder Gen 2:	n/a
Card feeder(s):	(1) Standard
Finished package unloader:	Standard
Maximum blister depth:	1.25"
Average cycle speed:	1-15 cpm
Electrical:	220 Volts / 3 PH / 25 Amps

FAB6-1418 APB

Sealing fixture size	14" x 18"
Nominal sealing area:	13" x 17"
Open loading stations:	2
Paper Blister feeder Gen 1:	yes
Paper Blister feeder Gen 2:	yes
Card feeder(s):	(1) Standard
Finished package unloader:	Standard
Maximum blister depth:	3.5"
Average cycle speed:	1-15 cpm
Electrical:	208-230 Volts / 3 PH / 25 Amps

FAB8-1418 APB

Sealing fixture size	14" x 18"
Nominal sealing area:	13" x 17"
Open loading stations:	4
Paper Blister feeder Gen 1:	yes
Paper Blister feeder Gen 2:	yes
Card feeder(s):	(1) Standard
Finished package unloader:	Standard
Maximum blister depth:	3.5"
Average cycle speed:	1-18 cpm
Electrical:	208-230 Volts / 3 PH / 25 Amps

NEW!

FAB8-1418-3 APB

Sealing fixture size	14" x 18"
Nominal sealing area:	13" x 17"
Open loading stations:	3
Paper Blister feeder Gen 1:	yes
Paper Blister feeder Gen 2:	yes
Card feeder(s):	(2) Standard
Finished package unloader:	Standard
Maximum blister depth:	3.5"
Average cycle speed:	1-18 cpm
Electrical:	208-230 Volts / 3 PH / 25 Amps

FAB8-1218.5 APB-AA

Sealing fixture size	17.875" x 19.750"
Nominal sealing area:	12 x 18.5
Open loading stations:	4
Paper Blister feeder Gen 1:	yes
Paper Blister feeder Gen 2:	yes
Card feeder(s):	(1) Standard
Finished package unloader:	Standard
Maximum blister depth:	3"
Average cycle speed:	1 – 18 cpm
Electrical:	208-230 Volts / 3 PH / 25 Amps

FAB8-1824 APB

Sealing fixture size	18" x 24"
Nominal sealing area:	17" x 23"
Open loading stations:	4
Paper Blister feeder Gen 1:	yes
Paper Blister feeder Gen 2:	yes
Card feeder(s):	(1) Standard
Finished package unloader:	Standard
Maximum blister depth:	3.5"
Average cycle speed:	1 – 18 cpm
Electrical:	208-230 Volts / 3 PH / 45 Amps

FAB8-1824-3 APB

Sealing fixture size	18" x 24"
Nominal sealing area:	17" x 23"
Open loading stations:	3
Paper Blister feeder Gen 1:	yes
Paper Blister feeder Gen 2:	yes
Card feeder(s):	(2) Standard
Finished package unloader:	Standard
Maximum blister depth:	3.5"
Average cycle speed:	1-18 cpm
Electrical:	208-230 Volts / 3 PH / 45 Amps

Specifications and model availability are subject to change without notice.



Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com

sales@starviewpackaging.com

Copyright 2026 Starview Packaging Machinery, Inc.





CBS APB SERIES
FULLY AUTOMATIC INLINE
PAPER BLISTER SEALING MACHINES



CBS30-1428-APB
FULLY AUTOMATIC INLINE BLISTER PACKAGING MACHINES
WITH PAPER BLISTER FEEDER

NEW: Perfect Ecological Solution for CPG Carded Packaging

EXPERIENCE
the **STARVIEW**
ADVANTAGE
INNOVATIVE PACKAGING MACHINES

Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555 www.starviewpackaging.com sales@starviewpackaging.com

CBS-APB SERIES

FULLY AUTOMATIC INLINE *PAPER BLISTER* SEALING MACHINE

YOUR MARKET ... OUR SOLUTIONS

Starview's **CBS APB Series** machines are ideal for long, high-production quantity runs. These fully automated machines are available with thirty or more-stations and a standard sealing area of 14 x 28 inches.

Blister feeding or APB feeding, card feeding, sealing and finished package unloading are included.

CBS Series machines can produce all of the typical blister package styles including face seal, full face, double card trapped, Club style and half-clamshell.

Also see Starview's **FAB-APB Series** for rotary and **BSC -APB Series** Carousel machines.

[Visit our APB website page](#) .

the **STARVIEW** **ADVANTAGE**

- A wide range of standard and custom automation features available to match customer requirements.
- Large format inline design to provide high volumes of finished packages and match linear plant workflow configurations.
- ANSI Class 4 machine safety for operator protection.
- Automatic blister feeder, card feeder & finished package unloader provide reduced labor costs.
- Color touch screen HMI for the ultimate in operator convenience and accessibility. Includes storage for 99 databases and on-screen data tracking.
- A Starview exclusive remote access via standard Ethernet hardwire or optional Wi-Fi router gives management access to real-time process information from the machine.
- AC Variable frequency precision cam index conveyor drive for smooth operation and position repeatability.
- Uses quick-change durable aluminum tooling.
- Industry leading design, construction, features and customer support.



more on next page

CBS-APB SERIES

SPECIFICATIONS

CBS30-1428

Sealing fixture size	14" x 28"
Nominal sealing area:	14" x 28"
Open loading stations:	30
Paper Blister feeder Gen 1:	yes
Paper Blister feeder Gen 2:	yes
Card feeder(s):	Standard
Finished package unloader:	Pick and place transfer standard / Unload flip over is optional
Maximum blister depth:	3.5"
Average cycle speed:	1 – 20 cpm
Electrical:	208-230 Volts / 3 PH / 50 Amps

Specifications and model availability are subject to change without notice.



REQUEST
A
QUOTE

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com

sales@starviewpackaging.com

Copyright 2022 Starview Packaging Machinery, Inc.





BSC APB SERIES
FULLY AUTOMATIC CAROUSEL
PAPER BLISTER SEALING MACHINES



BSC16-1418-APB MACHINE

EXPERIENCE
the **STARVIEW**
ADVANTAGE
INNOVATIVE PACKAGING MACHINES

Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555 www.starviewpackaging.com sales@starviewpackaging.com

BSC APB SERIES

FULLY AUTOMATIC INLINE *PAPER BLISTER* SEALING MACHINE

YOUR MARKET ... OUR SOLUTIONS

Starview's **BSC-APB series** carousel type **Blister sealers** are designed for high volume production requirements. Sixteen (16) station machines are standard; however, custom units can be manufactured with anywhere from ten (10) to twenty (20) or more stations. Standard sealing areas of 14" x 18" and 18" x 24" are offered as well as custom sizes. The **BSC series** machines may be used for conventional carded blisters, trapped blisters, club store trapped packages, full face blisters and half-clamshell styles as well as some applications using Tyvek, foils and other heat sealable lidstock. The standard **BSC series** machines feature one heated sealing station, one blister feed station, one card feed station and one finished package unload station with the remaining stations used for operator product loading stations and advanced automation such as printing, vision systems, production detection, etc.

Also see Starview's **FAB-APB Series** for rotary and **CBS-APB Series** Inline machines.

[Visit our APB website page .](#)

the **STARVIEW** **ADVANTAGE**

- A wide range of standard and custom automation features available to match customer requirements.
- ANSI Class 4 machine safety for operator protection.
- Automatic blister feeder, card feeder & finished package unloader provide reduced labor costs.
- Color touch screen HMI for the ultimate in operator convenience and accessibility. Includes storage for 99 databases and on-screen data tracking.
- A Starview exclusive remote access via standard Ethernet hardwire or optional Wi-Fi router gives management access to real-time process information from the machine.
- AC Variable frequency precision cam index conveyor drive for smooth operation and position repeatability.
- Uses quick-change cost effective multi-ply hardwood or durable aluminum tooling.
- Industry leading design, construction, features and customer support.



more on next page

BSC APB SERIES

SPECIFICATIONS

BSC-1418 APB

Sealing fixture size	14" x 18"
Nominal sealing area:	14" x 18"
Open loading stations:	16
Paper Blister feeder Gen 1:	yes
Paper Blister feeder Gen 2:	yes
Card feeder(s):	Standard
Finished package unloader:	Standard
Maximum blister depth:	3.25"
Average cycle speed:	1 – 15 cpm
Electrical:	208-230 Volts / 3 PH / 35 Amps

BSC-1824 APB

Sealing fixture size	18" x 24"
Nominal sealing area:	18" x 24"
Open loading stations:	16
Paper Blister feeder Gen 1:	yes
Paper Blister feeder Gen 2:	yes
Card feeder(s):	Standard
Finished package unloader:	Standard
Maximum blister depth:	3.25"
Average cycle speed:	1 – 12 cpm
Electrical:	208-230 Volts / 3 PH / 50 Amps 220 Volts / 3 PH / 25 Amps

Specifications and model availability are subject to change without notice.



Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com

sales@starviewpackaging.com

Copyright 2022 Starview Packaging Machinery, Inc.

